


Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 11 Home - (MSI recomienda Windows 11 Pro para empresas.)
- Pantalla de 27" de grado IPS con gran ángulo de visión de 178° Retroiluminación LED (1920 x 1080 FHD)
- Procesadores Intel® Core™ hasta i7 14700 Raptor Lake con memoria DDR5.
- Tasa de refresco de 100 Hz con tecnologías MSI Anti-Flicker y Reducción de la luz azul para proteger los ojos de los usuarios.
- El soporte ajustable y el diseño sin herramientas proporcionan un entorno de trabajo cómodo
- Triple pantalla con puertos de salida HDMI™ y DP
- La cámara web FHD integrada con Windows Hello mejora la privacidad y la productividad de los usuarios.
- El software Tobii Aware protege la privacidad y seguridad de los usuarios
- MSI Cloud Center permite a los usuarios crear una nube privada y realizar copias de seguridad de archivos desde dispositivos Android e iOS
- el diseño dTPM asegura los datos confidenciales con claves de cifrado
- El DTS Audio Enhancer está diseñado para ofrecer una experiencia de audio envolvente
- Pruebas de fiabilidad cualificadas 24/7



1. 1 x DC Jack
2. 1 x HDMI™ out (2.1)
3. 1 x DisplayPort out (1.4)
4. 1 x RJ-45 LAN
5. 1 x USB 3.2 Gen 2 Type C / 1 x USB 3.2 Gen 2 Type A
6. 2 x USB 2.0 Type A
7. 1 x Mic-in
8. 1 x Line-out
9. 1 x Kensington Lock
10. 2 x USB 3.2 Gen 1 Type A



SPECIFICATION

Sistema operativo	Operating Systems	N/A
Modelo	Part No	9S6-AF8321-1025
	MKT Name	PRO AP272P 14M
	MKT Spec	PRO AP272P 14M-886XEU
	Color	ID1/Black-Black-Black
	SKU Number	0
Chipset	Chipsets	H610
Memoria	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	0
	Max Capacity	Max 64GB
Procesador	CPU Number	Intel Core i7 Processor 14700
	CPU Clock	2.1GHz
	CPU Cores	20
	TDP	65W
	Max Turbo Frequency	up to 5.40 GHz
	Cache	33 MB Intel® Smart Cache
	Threads	28
Pantalla	View Angles	178°(H)/178°(V)
	Touch Screen	Non-touch
	Screen Size	27" (69 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms
Gráficos	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Audio	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio
Almacenamiento	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	1TB*1
	SSD Size	1TB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
Comunicaciones	LAN	Intel I219-V
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Dispositivo de entrada	Webcam	internal webcam
	Webcam Resolution	2.0MP (1080P)
Puertos de E/S (laterales)	USB 2.0 Type A	2
	USB 3.2 Gen 1 (5G) Type A	2



ALL-IN-ONE PCS

PRO AP272P 14M

PRO AP272P 14M-886XEU

Puertos de E/S (Traseros)	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.1)
	DP out	1x (v1.4)
	Line-out (R)	1
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type C (R)	1
	USB 3.2 Gen 2 (10G) Type A (R)	1
	USB 3.2 Gen 1 (5G) Type A (R)	2
	Mic-in (R)	1
Garantía	Warranty	36months
Dimensiones y peso	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	613.49 x 268.00 x 457.66
	Product Dimension with Stand (WxDxH) (inch)	24.15 x 10.55 x 18.02
	Weight (Net kg)	7
	Weight (Net lbs)	15.43
	Weight (Gross kg)	11.78
	Weight (Gross lbs)	25.97
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
STAND	Adjustment (Tilt)	-4°~20°(+/-2°)
	Adjustment (Height)	0~130mm
Alimentación	AC Adapter Output	120W
VESA	VESA size	75 x 75 mm
Mecánica y medio ambiente	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Accesorios	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Keyboard Interface	N/A
	Mouse	N/A
Información sobre el código de barras	Mouse Interface	N/A
	EAN	4711377351348